

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Rudnick et al.

Examiner: D. Isabella

Serial No.: 09/271,304

Group Art Unit: 3738

Filed: March 17, 1999

Docket: 498-67 CON 2

For: NESTED STENT

Dated: May 16, 2000

Date _____ Label No. _____
I hereby certify that on the date indicated above I
deposited this paper or fee with the U.S. Postal Service
and that it was addressed for delivery to the Assistant
Commissioner of Patents, Washington, D.C. 20231 by
"EXPRESS MAIL POST OFFICE to ADDRESSEE" service.

(Name (Print))_____
(Signature)

Assistant Commissioner for Patents
Washington, DC 20231

DECLARATION OF PRIOR INVENTION IN
THE UNITED STATES TO OVERCOME A PATENT UNDER 37 C.F.R. § 1.131

Sir:

1. We, James J. Rudnick, and Dominik M. Wiktor, both citizens of the United States, residing respectively at 11 Clearwater Court, Mahwah, NJ 07430 and 6441 3rd Palm Point, Saint Petersburg, Florida 33706-2123, are joint inventors of the above-identified application.
2. At the time of the invention thereof we were working for Meadox Medicals, Inc., assignee of the present application. With respect to the inventor Rudnick, I was an employee of Meadox Medicals, Inc. and with respect to inventor Wiktor, I was a consult

for Meadox Medicals, Inc. We submit this declaration to establish completion of the invention set forth in this application in the United States at a date prior to April 1, 1994, i.e. the effective date of U.S. Patent No. 5,876,432, Lau et al. (hereinafter the '432 patent), which was cited by the Examiner in an Office Action mailed December 29, 1999.

3. From the documents submitted herewith and as set forth hereinbelow, it can be seen that the invention was completed in the United States before April 1, 1994 which is a date earlier than the U.S. filing date of the '432 patent. Completion of the invention prior to April 1, 1994, is shown by conception and actual reduction to practice of the invention as evidenced by construction and testing of a nested stent.
4. To establish conception and reduction to practice, i.e. completion of the invention at a date prior to April 1, 1994, the following documents being submitted as evidence:
 - a. A Meadox Medicals, Inc. invention disclosure (Exhibit A) bearing dates signed by the inventors and dates signed by witnesses prior to April 1, 1994, the filing date of the '432 patent. (The dates have been redacted to prevent their unnecessary disclosure.) That invention disclosure describes the nested stent of the present invention where the benefits of the device are described as follows: "all of the above being accomplished by providing maximum monofilament wire density in a minimum volume of space by proper nesting of convolutions of formed wire over a mandrel." In an attachment to that invention disclosure, a drawing of the nested

stent is shown. The drawing shown in the attachment to the invention disclosure is substantially similar to the drawings shown in Figures 2 and 8 of the present application. This invention disclosure evidences conception of the invention prior to April 1, 1994.

- b. A confidential report entitled "Stent Analysis Summary" (Exhibit B) prepared by Product Genesis Inc., an engineering and design firm, which was retained by assignee, Meadox Medicals, Inc., to conduct an engineering analysis of the nested stent which is the subject of the claims of the present application. That report bearing a final issue date prior to April 1, 1994 (also redacted), includes a drawing labeled Figure 2-2 "Stacked Packing Geometry" showing a drawing of the nested stent of the present invention. Further and as evidence of completion of the invention, the report of Exhibit B includes photographs at Figures 4-4 through 4-7 showing the constructed nested stent of the present invention. Also as an attachment to this report are two spreadsheets showing design variables for construction of the nested stent of the present invention. Certain of these design variables have been included in the present application, being incorporated into Table 1.


- 5. The materials submitted herewith establish that the invention was completed, i.e. conceived and reduced to practice at a date prior to April 1, 1994, the filing date of the '432 patent.

6. This declaration is submitted in a response to a first Office Action issued by the Examiner and is therefore believed to be timely filed.
7. We hereby declare that all statements made herein of our own knowledge are true and that all statements made on information or belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and like so made are punishable by fine or imprisonment or both under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

DATED: _____

James J. Rudnick

DATED: MAY 18 2000


Dominik Wiktor

1. GIVE TITLE OF YOUR IDEA:

HI-STRENGTH HI-WIRE DENSITY INTRAVASCULAR EXPANDABLE STENT

2. DESCRIBE YOUR IDEA IN DETAIL AND INCLUDE SKETCH AND FORMULA IF NECESSARY:

Intraluminal Stent characterized by its ability to resist external compressive forces, also to discourage encroachment of cell ingrowth between wires after deployment, yet maintain full flexibility; all of the above being accomplished by providing maximum monofilament wire density in a minimum volume and space, by proper nesting of convolutions of formed wire over a mandrel

3. STATE ADVANTAGES OVER EXISTING PRODUCTS OR METHODS:

Presently used and known Stents, specifically as shown in US Pat 4,886,062 by Wiktor, although similar in design and basic construction do not provide high strength nor tight wire nesting as the Stent of this Invention.



4. ATTACH AND IDENTIFY COPIES OF ALL KNOWN REFERENCES, DRAWINGS, SKETCHES, DESCRIPTIONS, DATA, ARTICLES, TEXTBOOKS, ETC. (Note: All entries made in Laboratory Notebooks, memoranda, correspondence or similar documentation by author, recipient, date, project number, book number, and page number, if applicable. Concept Meeting,

First memo to J. Rudnick, subsequent meeting at MEADOX Dominik M. Wiktor developed thus reduced a theoretical idea to a working model; several models constructed and expanded over a balloon, additional samples constructed and together with a memo sent to MEADOX


5. GIVE NAMES OF OTHER PERSONS FAMILIAR WITH OR WHO HAVE WORKED ON PROJECT:

Dominik M. Wiktor
James J. Rudnick

Brent Nixon

SIGNATURE(S) OF INVENTOR(S)	DATE	PRINT NAME OF INVENTOR(S)	HOME ADDRESS
		Dominik M. Wiktor	4 Culin Drive Cranford, NJ 07016
		James Rudnick	74 Moore Ave, Waldwick, NJ 07463

WITNESSED AND UNDERSTOOD BY:

 Signature

Anthony M. Spadaro Print Name

Date: _____


APPROVED FOR FURTHER PATENT REVIEW:

☐ Yes ☐ No _____ Date: _____

☐ Yes ☐ No _____ Vice President Date: _____

EXECUTIVE COMMITTEE REVIEW:

☐ Approved for Patentability Opinion _____ President Date: _____

☒ Approved for Patent Application  President Date: _____

☐ Other (explain below) _____ President Date: _____

Comments: _____

BOOK NO.:

PAGE NO.: 1 of 1


PROJECT NO.:

DATE:

SUBJECT:

H1 STRENGTH - H1 WIRE DENSITY
INTRAVASCULAR EXPANDABLE STENT

1. TANTALUM WIRE PREFORMED OVER GEARS



James J. Rudnick
JAMES J. RUDNICK

for
RECORDED

Dominik M. Viktor
INVENTOR DATE
DOMINIK M. VIKTOR

Anthony M. Spadaro
WITNESS DATE





Product Genesis Inc.

Engineering Design and Product Development

300 Bent Street
Suite 200
Cambridge, MA 02141
617 661 3552
FAX 617 661 0126

Stent Analysis Summary

FINAL ISSUE

For:
Meadox/SurgiMed
112 Bauer Drive
Oakland, NJ 07436
1-800-221-1542

By:
Product Genesis, Inc.
300 Bent Street, Suite 200
Cambridge, MA 02141
617-661-3552

CONFIDENTIAL

This report contains proprietary information
Not for general distribution
Do not duplicate




Figure 2-2: Stacked Packing Geometry




Figure 4-4

Figure 4-5





Figure 1 b






Figure 4.7

CONFIDENTIAL									
Measur	Stack Picked Slant Geometry								
Design Variables:									
1	L (")	1.000							
2	D (") closed	0.157							
3	D (") open	0.472							
4	Ps (psi)	10.000							
5	d (")	0.010							
6	d (") closed	0.010							
7	M	22.47							
Outputs:									
(Eq #)	Constraints:	(Eq #)							
1	0.117	538							
2	0.117	538							
3	0.117	538							
4	0.117	538							
5	0.117	538							
6	0.117	538							
7	0.117	538							
8	0.117	538							
9	0.117	538							
10	0.117	538							
11	0.117	538							
12	0.117	538							
13	0.117	538							
14	0.117	538							
15	0.117	538							
16	0.117	538							
17	0.117	538							
18	0.117	538							
19	0.117	538							
20	0.117	538							
21	0.117	538							
22	0.117	538							
23	0.117	538							
24	0.117	538							
25	0.117	538							
26	0.117	538							
27	0.117	538							
28	0.117	538							
29	0.117	538							
30	0.117	538							
31	0.117	538							
32	0.117	538							
33	0.117	538							
34	0.117	538							
35	0.117	538							
36	0.117	538							
37	0.117	538							
38	0.117	538							
39	0.117	538							
40	0.117	538							
41	0.117	538							
42	0.117	538							
43	0.117	538							
44	0.117	538							
45	0.117	538							
46	0.117	538							
47	0.117	538							
48	0.117	538							
49	0.117	538							
50	0.117	538							
51	0.117	538							
52	0.117	538							
53	0.117	538							
54	0.117	538							
55	0.117	538							
56	0.117	538							
57	0.117	538							
58	0.117	538							
59	0.117	538							
60	0.117	538							
61	0.117	538							
62	0.117	538							
63	0.117	538							
64	0.117	538							
65	0.117	538							
66	0.117	538							
67	0.117	538							
68	0.117	538							
69	0.117	538							
70	0.117	538							
71	0.117	538							
72	0.117	538							
73	0.117	538							
74	0.117	538							
75	0.117	538							
76	0.117	538							
77	0.117	538							
78	0.117	538							
79	0.117	538							
80	0.117	538							
81	0.117	538							
82	0.117	538							
83	0.117	538							
84	0.117	538							
85	0.117	538							
86	0.117	538							
87	0.117	538							
88	0.117	538							
89	0.117	538							
90	0.117	538							
91	0.117	538							
92	0.117	538							
93	0.117	538							
94	0.117	538							
95	0.117	538							
96	0.117	538							
97	0.117	538							
98	0.117	538							
99	0.117	538							
100	0.117	538							
101	0.117	538							
102	0.117	538							
103	0.117	538							
104	0.117	538							
105	0.117	538							
106	0.117	538							
107	0.117	538							
108	0.117	538							
109	0.117	538							
110	0.117	538							
111	0.117	538							
112	0.117	538							
113	0.117	538							
114	0.117	538							
115	0.117	538							
116	0.117	538							
117	0.117	538							
118	0.117	538							
119	0.117	538							
120	0.117	538							
121	0.117	538							
122	0.117	538							
123	0.117	538							
124	0.117	538							
125	0.117	538							
126	0.117	538							
127	0.117	538							
128	0.117	538							
129	0.117	538							
130	0.117	538							
131	0.117	538							
132	0.117	538							
133	0.117	538							
134	0.117	538							
135	0.117	538							
136	0.117	538							
137	0.117	538							
138	0.117	538							
139	0.117	538							
140	0.117	538							
141	0.117	538							
142	0.117	538							
143	0.117	538							
144	0.117	538							
145	0.117	538							
146	0.117	538							
147	0.117	538							
148	0.117	538							
149	0.117	538							
150	0.117	538							
151	0.117	538							
152	0.117	538							
153	0.117	538							
154	0.117	538							
155	0.117	538							
156	0.117	538							
157	0.117	538							
158	0.117	538							
159	0.117	538							
160	0.117	538							
161	0.117	538							
162	0.117	538							
163	0.117	538							
164	0.117	538							
165	0.117	538							
166	0.117	538							
167	0.117	538							
168	0.117	538							
169	0.117	538							
170	0.117	538							
171	0.117	538							
172	0.117	538							
173	0.117	538							
174	0.117	538							
175	0.117	538							
176	0.117	538							
177	0.117	538							
178	0.117	538							
179	0.117	538							
180	0.117	538							
181	0.117	538							
182	0.117	538							
183	0.117	538							
184	0.117	538							
185	0.117	538							
186	0.117	538							
187	0.117	538							
188	0.117	538							
189	0.117	538							
190	0.117	538							
191	0.117	538							
192	0.117	538							
193	0.117	538							
194	0.117	538							
195	0.117	538							

